

SECRET



IDEA-0190-70

Copy \_\_\_\_\_ of \_\_\_\_\_


Distribution

AMA/OSA

DATE

26 AUG 1970

26 August 1970



File \_\_\_\_\_ Destroy \_\_\_\_\_

Tickler \_\_\_\_\_ Other \_\_\_\_\_

MEMORANDUM FOR: Deputy for Materiel, OSA

SUBJECT : Dual Liquid Oxygen Equalization System

REFERENCE : Proposal; Same Subject

1. Recommend no further effort be undertaken by to investigate LOX equalization feeding at this time.

2. Proposal A (see attachment) is not acceptable because of the requirement to increase the converter pressure to 300 psig. Early in the development of this liquid-oxygen system, pressure-control valves proved to be the "weakest link in the chain" and to re-introduce such a concept would certainly seem to be unwise at this point.

3. Proposal B would operate on a sensing valve equalizing by the weight of liquid oxygen remaining in each converter. Although the engineer denies the dependency of one system upon the other in this proposal, both the operational diagram and the narrative summary illustrate mechanical enslavement which would seem to negate the redundancy characteristic built into this dual oxygen system.

4. Proposal C operates on the same concept as System B except oxygen pressure is used for equalization instead of liquid weight and again brings up the question of pressure



SECRET

SECRET




IDEA-0190-70  
Page 2

25X1

reducer valves. Additionally, a differential pressure gauge, which would be necessary here, historically has not proved itself in tolerating positive 'G'.

5. In view of the above and with the recent long ferry missions where even feeding was demonstrated and with more stringent LOX servicing procedures and regulator adjustments, it appears that the problem of unequal O<sub>2</sub> feeding may be self-limiting and that no further action will be necessary.

SIGNED



AMS/OSA

25X1

Attachment


As stated above

AMS/OSA



Distribution:

- 1 - Addee
- 2 - CMD -
- 3 - AMS
- 4 - " Chrono
- 5 - RB



SECRET

25X1